

View Online at <https://aerobasegroup.com/nsn/6145-01-363-9167>

**Cross Sectional Shape:**

Round

**Temperature Rating:**

200.0 degrees celsius

**Cross Section Outside Diameter:**

0.140 inches

**Conductor Quantity:**

2

**Color Coding Document:**

81349-104c standard (includes industry or association standards, individual manufactureer standards, etc.).

**Strand Quantity Per Conductor:**

19 all conductors

**Conductor Form:**

Stranded all conductors

**Round Conductor Size:**

20 awg all conductors

**Strand Awg Size Per Conductor:**

32 all conductors

**Conductor Arrangement And Quantity:**

1 twisted pair

**Group Quantity:**

1

**Conductor Grouping Arrangement Type And Quantity:**

1 twisted pair all groups

**Voltage Rating:**

600.0 ac rated working voltage all conductors

**Special Features:**

Cable is 2/c 20 awg, insulated, with braided shield o/all and a white polytetrafluoroethylene outer jacket with violet tracer

**Material:**

Plastic tetrafluoroethylene 7th position conductor all conductors

**Material Specification:**

L-p-403 federal specification all material responses 7th position conductor all conductors

**Surface Treatment:**

Silver core conductor all conductors

**Surface Treatment Specification:**

Mil-w16878 military specification all treatment responses core conductor all conductors

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A077a0

**Mil-std (military Standard):**

spec.