

View Online at <https://aerobasegroup.com/nsn/6145-01-365-0640>

**Cross Sectional Shape:**

Round

**Temperature Rating:**

200.0 degrees celsius

**Cross Section Outside Diameter:**

0.162 inches

**Conductor Quantity:**

4

**Strand Quantity Per Conductor:**

19 all conductors

**Conductor Form:**

Stranded all conductors

**Round Conductor Size:**

22 awg all conductors

**Strand Awg Size Per Conductor:**

34 all conductors

**Conductor Arrangement And Quantity:**

4 singles

**Voltage Rating:**

600.0 root mean square (rms) operating voltage all conductors

**Color:**

White 1st position primary insulation first conductor black 1st position primary insulation second conductor red 1st position primary insulation third conductor green 1st position primary insulation fourth conductor

**Material:**

Copper core conductor all conductors plastic polytetrafluoroethylene 1st position primary insulation all conductors copper 2nd position shield braid, metallic cable plastic polytetrafluoroethylene 3rd position jacket cable or plastic fluorinated ethylene propylene 3rd position jacket cable or plastic perfluoroalkoxy 3rd position jacket cable

**Material Specification:**

Astm b298 assn standard single material response core conductor all conductors

**Precious Material And Location:**

Surface all conductors silver and surface shield braid silver

**Precious Material:**

Silver

**Surface Treatment:**

Silver core conductor all conductor silver 2nd position shield braid, metallic cable

**Surface Treatment Specification:**

Astm b298 assn standard single treatment response core conductor all conductors

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A077a0