

View Online at <https://aerobasegroup.com/nsn/6145-01-366-3700>

Cross Sectional Shape:

Round

Electrical Resistance:

78.00 ohms impedance

Cross Section Outside Diameter:

0.250 inches

Conductor Quantity:

2

Capacitance In Picofarads:

21.4 per foot

Strand Quantity Per Conductor:

19 all conductors

Conductor Form:

Stranded all conductors

Round Conductor Size:

20 awg all conductors

Strand Awg Size Per Conductor:

32 all conductors

Conductor Arrangement And Quantity:

1 twin-axial twisted

Color:

Blue, light 1st position primary insulation first conductorwhite 1st position primary insulation second conductorwhite 3rd position jacket cablewhite 5th position jacket cable

Material:

Copper core conductor all conductorsplastic cross-linked modified ethylene tetrafluoroethylene 1st position primary insulation all conductorscopper 2nd position shield braid, metallic cableplastic cross-linked modified ethylene tetrafluoroethylene 3rd position jacket cablecopper 4th position shield braid, metallic cableplastic cross-linked modified ethylene tetrafluoroethylene 5th position jacket cable

Material Specification:

Astm b33 assn standard single material response core conductor all conductors

Surface Treatment:

Tin core conductor all conductorstin 2nd position shield braid, metallic cabletin 4th position shield braid, metallic cable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A077a0