

View Online at <https://aerobasegroup.com/nsn/6145-01-373-8788>

Cross Sectional Shape:

Round

Temperature Rating:

-55.0 degrees celsius and 75.0 degrees celsius

Cross Section Outside Diameter:

0.278 inches

Conductor Quantity:

2

Strand Quantity Per Conductor:

41 all conductors

Conductor Form:

Stranded all conductors

Round Conductor Size:

20 awg all conductors

Strand Awg Size Per Conductor:

36 all conductors

Conductor Arrangement And Quantity:

2 singles

Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

Color:

Black 1st position primary insulation first conductor white 1st position primary insulation second conductor

Material:

Copper core conductor all conductors rubber butadiene-styrene class sbr 1st position primary insulation all conductors copper 2nd position shield braid, metallic cable rubber chloroprene class cr 3rd position jacket cable

Material Specification:

Astm b33 assn standard single material response core conductor all conductors mil-i-3930, type is-I military specification single material response 1st position primary insulation all conductors mil-i-3930, type jn-I military specification single material response 3rd position jacket cable

Surface Treatment:

Tin core conductor all conductor tin 2nd position shield braid, metallic cable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-i-3930 spec.