

View Online at <https://aerobasegroup.com/nsn/6145-01-374-7767>

**Cross Sectional Shape:**

Round

**Electrical Resistance:**

77.00 ohms impedance

**Cross Section Outside Diameter:**

0.095 inches

**Conductor Quantity:**

2

**Capacitance In Picofarads:**

23.0 per foot

**Strand Quantity Per Conductor:**

19 all conductors

**Conductor Form:**

Stranded all conductors

**Round Conductor Size:**

28 awg all conductors

**Strand Awg Size Per Conductor:**

40 all conductors

**Conductor Arrangement And Quantity:**

1 twin-axial twisted

**Voltage Rating:**

250.0 root mean square (rms) operating voltage all conductors

**Color:**

Blue 1st position primary insulation first conductorwhite 1st position primary insulation second conductorblue 3rd position jacket cable

**Material:**

Copper alloy core conductor all conductorsplastic polytetrafluoroethylene 1st position primary insulation all conductorscopper alloy 2nd position shield braid, metallic cableplastic perfluoroalkoxy 3rd position jacket cable

**Precious Material And Location:**

Surface all conductors silver and surface shield braid silver

**Precious Material:**

Silver

**Surface Treatment:**

Silver core conductor all conductorsilver 2nd position shield braid, metallic cable

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A077a0