

View Online at <https://aerobasegroup.com/nsn/6145-01-375-1369>

Cross Sectional Shape:

Round

Tempurature Rating:

150.0 degrees celsius

Conductor Quantity:

1

Strand Quantity Per Conductor:

19 single conductor

Conductor Form:

Stranded single conductor

Round Conductor Size:

22 awg single conductor

Strand Awg Size Per Conductor:

34 single conductor

Conductor Arrangement And Quantity:

1 singles

Voltage Rating:

600.0 root mean square (rms) operating voltage single conductor

Color:

White 1st position primary insulation single conductorwhite 5th position jacket single conductor

Material:

Copper core conductor single conductorplastic cross-linked modified ethylene tetrafluoroethylene 1st position primary insulation single conductorplastic cross-linked modified ethylene tetrafluoroethylene 2nd position jacket single conductorcopper 3rd position shield braid, metallic single conductorcopper 4th position shield braid, metallic single conductorplastic cross-linked modified ethylene tetrafluoroethylene 5th position jacket single conductor

Material Specification:

Astm b33 assn standard single material response core conductor single conductor

Surface Treatment:

Tin core conductor single conductortin 3rd position shield braid, metallic single conductortin 4th position shield braid, metallic single conductor

Surface Treatment Specification:

Astm b33 assn standard single treatment response core conductor single conductorastm b33 assn standard single treatment response 3rd position shield braid, metallic single conductorastm b33 assn standard single treatment response 4th position shield braid, metallic single conductor

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A077a0

Mil-std (military Standard):

Mil-c-27500 spec.