NSN 6145-01-498-8478

Electrical Wire - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6145-01-498-8478

Round Cross Section Outside Diameter: 0.950 inches Strand Quantity Per Conductor: 19 single conductor Conductor Form: Stranded single conductor Round Conductor Size: 0 away single conductor Strand Away Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxtpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lidpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A077a0	Cross Sectional Shape:
O.950 inches Strand Quantity Per Conductor: 19 single conductor Conductor Form: Stranded single conductor Round Conductor Size: 0 awg single conductor Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: — Demilitarization: No Fig:	Round
Strand Quantity Per Conductor: 19 single conductor Conductor Form: Stranded single conductor Round Conductor Size: 0 awg single conductor Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Cross Section Outside Diameter:
19 single conductor Conductor Form: Stranded single conductor Round Conductor Size: 0 awg single conductor Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lidpe jacket; weight 0.54 lbs/ft Material: Alluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	0.950 inches
Conductor Form: Stranded single conductor Round Conductor Size: 0 awg single conductor Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Alluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Strand Quantity Per Conductor:
Stranded single conductor Round Conductor Size: 0 awg single conductor Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	19 single conductor
Round Conductor Size: 0 awg single conductor Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Conductor Form:
O awg single conductor Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Stranded single conductor
Strand Awg Size Per Conductor: 16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Round Conductor Size:
16 single conductor Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0 awg single conductor
Voltage Rating: 5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Strand Awg Size Per Conductor:
5000.0 peak operating voltage all conductors Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	16 single conductor
Special Features: Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black Ildpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Voltage Rating:
Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	5000.0 peak operating voltage all conductors
copper concentric neutral wires; black Ildpe jacket; weight 0.54 lbs/ft Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Special Features:
Material: Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Semi-conducting thermosetting conductor shield; trxlpe insulation; semi-conducting, thermosetting insulation shield; 16-14 awg bare
Aluminum core conductor all conductors Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	copper concentric neutral wires; black lldpe jacket; weight 0.54 lbs/ft
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material:
N/a Unit Of Measure: Demilitarization: No Fiig:	Aluminum core conductor all conductors
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A077a0	Fiig:
	A077a0