

View Online at https://aerobasegroup.com/nsn/6150-00-286-0806

Cross Sectional Shape: Round Overall Length: 120.000 inches Tempurature Rating: -65.0 degrees celsius and 200.0 degrees celsius Cross Section Outside Diameter: 0.243 inches Termination Type: Connector receptacle 1st end all conductors Conductor Quantity:
Overall Length: 120.000 inches Tempurature Rating: -65.0 degrees celsius and 200.0 degrees celsius Cross Section Outside Diameter: 0.243 inches Termination Type: Connector receptacle 1st end all conductors
120.000 inches Tempurature Rating: -65.0 degrees celsius and 200.0 degrees celsius Cross Section Outside Diameter: 0.243 inches Termination Type: Connector receptacle 1st end all conductors
Tempurature Rating: -65.0 degrees celsius and 200.0 degrees celsius Cross Section Outside Diameter: 0.243 inches Termination Type: Connector receptacle 1st end all conductors
-65.0 degrees celsius and 200.0 degrees celsius Cross Section Outside Diameter: 0.243 inches Termination Type: Connector receptacle 1st end all conductors
Cross Section Outside Diameter: 0.243 inches Termination Type: Connector receptacle 1st end all conductors
0.243 inches Termination Type: Connector receptacle 1st end all conductors
Termination Type: Connector receptacle 1st end all conductors
Connector receptacle 1st end all conductors
Conductor Quantity:
Conductor Quantity:
4
Strand Quantity Per Conductor:
19 all conductors
Conductor Form:
Stranded all conductors
Round Conductor Size:
16 awg all conductors
Strand Awg Size Per Conductor:
29 all conductors
Conductor Arrangement And Quantity:
1 quads
Voltage Rating:
600.0 root mean square (rms) operating voltage all conductors
Terminal Manufacturer Identifying Reference Number:
Ms3126f14-5s 1st end all conductors
Terminal Commercial And Government Entity Code:
96906 1st end all conductors
Material:
Plastic polytetrafluoroethylene 1st position primary insulation all conductors
Material Specification:
Qq-w-343, soft federal specification single material response core conductor all conductors
Surface Treatment:
Silver core conductor all conductors
Surface Treatment Specification:
Astm b298-58t assn standard single treatment response core conductor all conductors
Style Designator:
Internal connector
Fsc Application Data:
Test set, fire control system, acft
Shelf Life:
N/a



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A077a0

Mil-std (military Standard):

Mil-w-16878 spec.