Conductor Bus - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/6150-00-357-7525

OblongOverall Length:8688 inchesCross-sectional Height:0.032 inchesCross-sectional Width:0.438 inchesMunting Configuration:Twelve 0.201 in. Diameter holes 0.750 in. C to CConstruction:SolidMaterial:CopyrMaterial SpecificationSolard SpecificationSurface Treatment:CadmiumSurface Treatment Specification single material response or qq-c-576 federal specification single material responseSurface Treatment:CadmiumBurl I fei:NatorSurface Treatment Specification single treatment responseSurface Treatment Specification single treatment responseSurface Treatment SpecificationSurface Treatment Specification single treatment responseSurface Treatment SpecificationSurface Treatment Specification single treatment responseSurface Treatment Specification Specification Specification Specification Specification Specification Specification Specification Speci	Body Cross-sectional Shape:
8.688 inches         Cross-sectional Height:         0.032 inches         Cross-sectional Width:         0.438 inches         Mounting Configuration:         Twelve 0.201 in. Diameter holes 0.750 in. C to c         Construction:         Solid         Material:         Copper         Material Specification:         Qrd-s502 federal specification single material response or qq-c-576 federal specification single material response         Surface Treatment:         Cadmium         Surface Treatment:         Qrd-p-416, class 3, type 2 federal specification single treatment response         Sheff Life:         N/a         Chit Of Measure:         -         Life Comment         Femilitarization:         Na         Strip Comment         Strip Comment         Material Specification Single treatment response         Strip Comment         Na         Distrip Comment         Na         Strip Comment         Strip Comment         Strip Comment         Strip Comment         Na         Strip Comment         Strip Comment <t< td=""><td>Oblong</td></t<>	Oblong
Cross-sectional Height:0.032 inchesCross-sectional Width:0.438 inchesMunting Configuration:Twelve 0.201 in. Diameter holes 0.750 in. C to cConstruction:SolidMaterial:CopperMaterial Specification:Que-s502 federal specification single material response or qq-c-576 federal specification single material response or qq-c-576 federal specification single material responseSurface Treatment:CadmiumGurq-s16, class 3, type 2 federal specification single treatment responseSheft Life:N/aInt of Measure:-Camilianization:NaFig:Na	Overall Length:
0.032 inchesCross-sectional Width:0.438 inchesMounting Configuration:Twelve 0.201 in. Diameter holes 0.750 in. C to cConstruction:SolidMaterial:CopperMaterial Specification:Que-c-502 federal specification single material response or que-c-576 federal specification single material responseSurface Treatment:CadmiumGurp-a16, class 3, type 2 federal specification single treatment responseShelf Life:N/aLife Measure:FDemilitarization:NoFig:	8.688 inches
Cross-sectional Width:         0.438 inches         Mounting Configuration:         Twelve 0.201 in. Diameter holes 0.750 in. C to c         Construction:         Solid         Material:         Copper         Material Specification:         Qac-s502 federal specification single material response or qa-c-576 federal specification single material response or qa-c-576 federal specification single material response         Sufface Treatment:         Cadmium         Gurq-p-416, class 3, type 2 federal specification single treatment response         Shelf Life:         N/a         Init Of Measure:	Cross-sectional Height:
0.438 inches Mouning Configuration: Twelve 0.201 in. Diameter holes 0.750 in. C to c Construction: Construction: Solid Material: Copper Material Specification Qq-c-502 federal specification single material response or qq-c-576 federal specification single material response or qq-c-576 federal specification single material response or qq-c-576 federal specification single material response Gurface Treatment: Cadmium Aug-p-416, class 3, type 2 federal specification single treatment response Suff Life: N/a Muited Measure: Cammium C	0.032 inches
Mounting Configuration:         Twelve 0.201 in. Diameter holes 0.750 in. C to c         Construction:         Solid         Material:         Copper         Material Specification:         Qq-c-502 federal specification single material response or qq-c-576 federal specification single material response         Surface Treatment:         Cadmium         Gurq-p-416, class 3, type 2 federal specification single treatment response         Sheff Life:         N/a         Init of Measure:         -         Demiltarization:         Na         Fig:	Cross-sectional Width:
Twelve 0.201 in. Diameter holes 0.750 in. C to c Construction: Solid Material: Copper Material Specification: Qq-c-502 federal specification single material response or qq-c-576 federal specification single treatment response or qq-c-576 federal specification sing	0.438 inches
Construction:SolidMaterial:CopperMaterial Specification:Qq-c-502 federal specification single material response or qq-c-576 federal specification single material responseSurface Treatment:CadmiumGuq-p-416, class 3, type 2 federal specification single treatment responseShelf Life:N/aInti Of Measure:-Snellitarization:Inti Of Measure:Formilitarization:NoFig:	Mounting Configuration:
SolidMaterial:CopperMaterial Specification:Qq-c-502 federal specification single material response or qq-c-576 federal specification single material responseSurface Treatment:CadmiumGaq-p-416, class 3, type 2 federal specification single treatment responseShelf Life:N/aInt Of Measure:-Pomilitarization:NoFig:	Twelve 0.201 in. Diameter holes 0.750 in. C to c
Material:CopperMaterial Specification:Qq-c-502 federal specification single material response or qq-c-576 federal specification single material responseSurface Treatment:CadmiumSurface Treatment Specification:Qq-p-416, class 3, type 2 federal specification single treatment responseShelf Life:N/aInt Of Measure:-Demilitarization:NoFig:	Construction:
Copper Material Specification: Qq-c-502 federal specification single material response or qq-c-576 federal specification single material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, class 3, type 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Solid
Material Specification:         Qq-c-502 federal specification single material response or qq-c-576 federal specification single material response         Surface Treatment:         Cadmium         Surface Treatment Specification:         Qq-p-416, class 3, type 2 federal specification single treatment response         Shelf Life:         N/a         Unit Of Measure:            Demilitarization:         No         Fig:	Material:
Qq-c-502 federal specification single material response or qq-c-576 federal specification single material response         Surface Treatment:         Cadmium         Surface Treatment Specification:         Qq-p-416, class 3, type 2 federal specification single treatment response         Shelf Life:         N/a         Unit Of Measure:            Demilitarization:         No         Fig:	Copper
Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, class 3, type 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No	Material Specification:
Cadmium Surface Treatment Specification: Qq-p-416, class 3, type 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Qq-c-502 federal specification single material response or qq-c-576 federal specification single material response
Surface Treatment Specification: Qq-p-416, class 3, type 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Surface Treatment:
Qq-p-416, class 3, type 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Cadmium
Shelf Life:   N/a   Unit Of Measure:     Demilitarization:   No   Fiig:	Surface Treatment Specification:
N/a Unit Of Measure:  Demilitarization: No Fiig:	Qq-p-416, class 3, type 2 federal specification single treatment response
Unit Of Measure:  Demilitarization: No Fiig:	Shelf Life:
 Demilitarization: No Fiig:	N/a
Demilitarization: No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A537p0	Fiig:
	A537p0