## NSN 6150-01-005-3498

Conductor Bus - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6150-01-005-3498

Rectangular  Overall Length: 5.000 inches  Cross-sectional Height: Between 0.988 inches and 1.012 inches  Cross-sectional Width: Between 1.976 inches and 2.024 inches  Mounting Configuration: First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in. Diameter 0.500 in. From ea end 1.000 in. C to c 1.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep  Construction: Solid  Material: Aluminum alloy  Surface Treatment: Tin  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No	ctional Shape:
5.000 inches  Cross-sectional Height: Between 0.988 inches and 1.012 inches  Cross-sectional Width: Between 1.976 inches and 2.024 inches  Mounting Configuration: First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in.  Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in.  Diameter 0.500 in. Prom ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in.  Diameter 0.500 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep  Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Cross-sectional Height:  Between 0.988 inches and 1.012 inches  Cross-sectional Width:  Between 1.976 inches and 2.024 inches  Mounting Configuration:  First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in. Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep  Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	:
Between 0.988 inches and 1.012 inches  Cross-sectional Width:  Between 1.976 inches and 2.024 inches  Mounting Configuration:  First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From e end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in.  Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Diameter 0.500 in. Diameter 0.500 in. Diameter 0.500 in. Diameter 0.500 in. Diameter 0.310 in. Deep  Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Cross-sectional Width:  Between 1.976 inches and 2.024 inches  Mounting Configuration:  First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in. Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep  Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	al Height:
Between 1.976 inches and 2.024 inches  Mounting Configuration:  First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in. Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep  Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	inches and 1.012 inches
Mounting Configuration:  First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in. Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep  Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	al Width:
First edge 4 mtg holes no. 16 through 19 drilled and tapped 0.040 in. Dia, 1.000 in. From ea end and c to c, second edge 4 mtg holes no through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in. Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	inches and 2.024 inches
through 15 drilled and tapped 0.040 in. Dia, on width, 4 mtg holes no. 1, 4, 6 and 8 drilled and tapped 0.020 in. Diameter 0.500 in. From end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in. Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep Construction:  Solid  Material: Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	iguration:
end 1.000 in. C to c 1.500 in. From second end, 0.380 in. From edge to c, 5 mtg holes no. 3, 5, 7, 9 and 11 drilled and tapped 0.020 in.  Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapped 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep  Construction:  Solid  Material:  Aluminum alloy  Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Diameter 0.500 in. From ea end 1.000 in. C to c, 0.380 in. From second edge to c, 5 mtg holes 1st and fifth no. 2 and 10 drilled and tapper 0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep Construction:  Solid  Material: Aluminum alloy Surface Treatment: Tin Shelf Life: N/a Unit Of Measure: Demilitarization:	
0.020 in. Dia, 2nd, 3rd and 4th holes drilled 0.020 in. Diameter and counterbored 0.250 @to 0.560 in. Diameter 0.310 in. Deep Construction:  Solid  Material: Aluminum alloy Surface Treatment: Tin Shelf Life: N/a Unit Of Measure: Demilitarization:	
Construction: Solid  Material: Aluminum alloy Surface Treatment: Tin Shelf Life: N/a Unit Of Measure: Demilitarization:	
Material: Aluminum alloy Surface Treatment: Tin Shelf Life: N/a Unit Of Measure: Demilitarization:	
Aluminum alloy  Surface Treatment: Tin  Shelf Life: N/a Unit Of Measure: Demilitarization:	
Surface Treatment:  Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Tin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	nent:
N/a Unit Of Measure: Demilitarization:	
Unit Of Measure: Demilitarization:	
Demilitarization:	
	re:
No	n:
Fiig:	
A537p0	