NSN 6150-01-206-4425

Electrical Lead - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6150-01-206-4425

| Cross Sectional Shape: |
|--|
| Round |
| Termination Type: |
| Lug terminal w/mounting hole both ends single conductor |
| Leadlength: |
| 30.000 inches |
| Strand Quantity Per Conductor: |
| 133 single conductor |
| Conductor Form: |
| Stranded single conductor |
| Round Conductor Size: |
| 6 awg single conductor |
| Strand Awg Size Per Conductor: |
| 27 single conductor |
| Voltage Rating: |
| 600.0 ac rated working voltage single conductor |
| Terminal Lug Aperture Size: |
| 0.385 inches 2nd end single conductor |
| Terminal Commercial And Government Entity Code: |
| 96906 both ends single conductor |
| |
| Color: |
| Color: White core conductor single conductor |
| |
| White core conductor single conductor |
| White core conductor single conductor Material: |
| White core conductor single conductor Material: Copper core conductor single conductor |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver Surface Treatment: |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver Surface Treatment: Silver core conductor single conductor |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver Surface Treatment: Silver core conductor single conductor Shelf Life: |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver Surface Treatment: Silver core conductor single conductor Shelf Life: N/a |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver Surface Treatment: Silver core conductor single conductor Shelf Life: N/a |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver Surface Treatment: Silver core conductor single conductor Shelf Life: N/a Unit Of Measure: |
| White core conductor single conductor Material: Copper core conductor single conductor Precious Material And Location: Surface silver Precious Material And Weight: 0.040 silver ounces, troy Precious Material: Silver Surface Treatment: Silver core conductor single conductor Shelf Life: N/a Unit Of Measure: Demilitarization: |