

View Online at https://aerobasegroup.com/nsn/6150-01-360-9825

Cross Sectional Shape	
Round	
Overall Length:	
37.000 inches	
End Application:	
Next generation radar (exrad)
Termination Type:	
Connector receptacle 2	id end all conductors
Conductor Quantity:	
4	
Accessory Wire Type	And Quantity:
1 drain	
Strand Quantity Per C	onductor:
7 all conductors	
Conductor Form:	
Stranded all conductors	
Round Conductor Size	:
24 awg all conductors	
Strand Awg Size Per C	onductor:
32 all conductors	
Conductor Arrangeme	nt And Quantity:
2 twisted pair	
erminal Manufacture	Identifying Reference Number:
/124308/2-1 2nd end all	conductors
erminal Commercial	And Government Entity Code:
31349 2nd end all cond	ictors
ndividual Conductor	ength:
2.000 inches 1st end a	conductors
Special Features:	
Owg title: cable asseml	ly, 4/104w515 (reciever cabinet). Cable used is r/n 56232 1213913-202 w/over all jacket of thermoplastic elastomer.
Wire, m16878/5bfe0 an	terminal lug ms25036-148, is used to connect the shield e101 to connector p1 backshell. M16878/5bee0 is used to
umper pins 5 & 2, 6 & 5	, 7 & 4, 8 & 7 and 9 & 8 in connector p-1. Foil shield drain wire is tin coated copper, 24 awg 7/32. Not authorized for
aerospace applications.	
Color:	
White 1st position prima	ry insulation third conductor
Material:	
Plastic fluorinated ethyle	ne propylene 1st position primary insulation all conductors
Surface Treatment:	
Tin core conductor all c	nductors
Style Designator:	
Internal connector and s	tripped
Shelf Life:	
N/a	

Unit Of Measure:

Electrical Special Purpose Cable Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A077a0