## NSN 6150-01-374-5487

Electrical Power Cable Assembly - Page 1 of 1



view Online at https://aerobasegroup.com/nsn/6150-01-374-5467
End Application:
2350-01-087-1095
Termination Type:
Connector plug 1st end all conductorsconnector plug 2nd end all conductors
Conductor Quantity:
4
Strand Quantity Per Conductor:
37 all conductors
Conductor Form:
Stranded all conductors
Round Conductor Size:
12 awg all conductors
Strand Awg Size Per Conductor:
28 all conductors
Conductor Arrangement And Quantity:
2 twisted together w/no outer covering
Group Quantity:
1
Conductor Grouping Arrangement Type And Quantity:
2 twisted pair all groups
Voltage Rating:
600.0 root mean square (rms) operating voltage all conductors
Terminal Manufacturer Identifying Reference Number:
M83723/75w1404y 1st end all conductorsm83723/76w1404y 2nd end all conductors
Terminal Commercial And Government Entity Code:
81349 1st end all conductors81349 2nd end all conductors
Material:
Copper alloy 101 core conductor all conductors or copper alloy 102 core conductor all conductorsplastic polyalkene 1st position primary
insulation first groupplastic polyalkene 1st position primary insulation second groupplastic polyvinylidene fluoride 2nd position jacket first
groupplastic polyvinylidene fluoride 2nd position jacket second groupplastic polyolefin 3rd position primary insulation all groups
Material Specification:
Astm b33-63 assn standard all material responses core conductor all conductors
Surface Treatment:
Tin core conductor all conductors
Surface Treatment Specification:
Astm b33-63 assn standard single treatment response core conductor all conductors
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig: A077a0

Yes - demil/mli