NSN 6150-01-501-9475

Electrical Lead - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6150-01-501-9475

| The Common at International State of the Common state of the Commo |
|--|
| Cross Sectional Shape: |
| Round |
| End Application: |
| An/ssq-12 (v)3; an/ssq-124(v) 4 pal |
| Termination Type: |
| Terminal lug both ends single conductor |
| Leadlength: |
| Between 52.000 inches and 54.000 inches |
| Strand Quantity Per Conductor: |
| 133 single conductor |
| Conductor Form: |
| Stranded single conductor |
| Product Name: |
| Cable assembly, ground |
| Round Conductor Size: |
| 8 awg single conductor |
| Strand Awg Size Per Conductor: |
| 29 single conductor |
| Voltage Rating: |
| 600.0 root mean square (rms) operating voltage single conductor |
| Terminal Manufacturer Identifying Reference Number: |
| Ms25036-116 1st end single conductor |
| Terminal Commercial And Government Entity Code: |
| 05ay8 both ends single conductor |
| Color: |
| White 2nd position secondary insulation single conductor |
| Material: |
| Plastic polytetrafluoroethylene 1st position primary insulation single conductor |
| Material Specification: |
| Astm b298 assn standard single material response core conductor single conductor |
| Precious Material And Location: |
| Surface single conductor silver |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor single conductor |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| |

No

NSN 6150-01-501-9475 Electrical Lead - Page 2 of 2



Fiig:

A077a0