NSN 6150-01-501-9614

Electrical Lead - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6150-01-501-9614

| Cross Sectional Shape: |
|--|
| Round |
| End Application: |
| An/ssq-12 (v)3; an/ssq-124(v) 4 pal |
| Termination Type: |
| Terminal lug both ends single conductor |
| Leadlength: |
| Between 47.000 inches and 48.000 inches |
| Strand Quantity Per Conductor: |
| 133 single conductor |
| Conductor Form: |
| Stranded single conductor |
| Product Name: |
| Cable assembly, ground |
| Round Conductor Size: |
| 8 awg single conductor |
| Strand Awg Size Per Conductor: |
| 29 single conductor |
| Voltage Rating: |
| 600.0 root mean square (rms) operating voltage single conductor |
| Terminal Manufacturer Identifying Reference Number: |
| Ms25036-116 1st end single conductor |
| Terminal Commercial And Government Entity Code: |
| 05ay8 both ends single conductor |
| Special Features: |
| Label a (94117assy6265375g8) |
| Color: |
| White 2nd position secondary insulation single conductor |
| Material: |
| Plastic polytetrafluoroethylene 1st position primary insulation single conductor |
| Material Specification: |
| Astm b298 assn standard single material response core conductor single conductor |
| Precious Material And Location: |
| Surface single conductor silver |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor single conductor |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 6150-01-501-9614

Electrical Lead - Page 2 of 2



Demilitarization:

No

Fiig:

A077a0