NSN 6210-00-051-4600

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-051-4600

| Overall Length:2.438 inchesOverall Diameter:0.844 inchesLamp Base Type Accommodated:Telephone slide no.TwoLamp Bulb Size Designator:T-2Lens Quantity:1Lens Color:Red single light 1st position horizontalPanel Accommodation Hole Diameter:0.688 inchesLens Mounting Method:Screw onMounting Method:PanelPanel Thickness For Which Designed:0.156 inchesLamp Type Accommodated And Quantity:1 incandescentLens Type: |
|---|
| Overall Diameter: 0.844 inches Lamp Base Type Accommodated: Telephone slide no.Two Lamp Bulb Size Designator: T-2 Lens Quantity: 1 Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| 0.844 inches Lamp Base Type Accommodated: Telephone slide no.Two Lamp Bulb Size Designator: T-2 Lens Quantity: 1 Lens Quantity: 1 Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Lamp Base Type Accommodated: Telephone slide no.Two Lamp Bulb Size Designator: T-2 Lens Quantity: 1 Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Telephone slide no.Two Lamp Bulb Size Designator: T-2 Lens Quantity: 1 Lens Quantity: 1 Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Lamp Bulb Size Designator:T-2Lens Quantity:11Lens Color:Red single light 1st position horizontalPanel Accommodation Hole Diameter:0.688 inchesLens Mounting Method:Screw onMounting Method:PanelPanel Thickness For Which Designed:0.156 inchesLamp Type Accommodated And Quantity:1 incandescent |
| T-2 Lens Quantity: 1 Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Lens Quantity: 1 Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| 1 Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel O.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Lens Color: Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Red single light 1st position horizontal Panel Accommodation Hole Diameter: 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Panel Accommodation Hole Diameter:0.688 inchesLens Mounting Method:Screw onMounting Method:PanelPanel Thickness For Which Designed:0.156 inchesLamp Type Accommodated And Quantity:1 incandescent |
| 0.688 inches Lens Mounting Method: Screw on Mounting Method: Panel Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Lens Mounting Method: Screw on Mounting Method: Panel Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Screw on Mounting Method: Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Mounting Method: Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Panel Panel Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Panel Thickness For Which Designed: 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| 0.156 inches Lamp Type Accommodated And Quantity: 1 incandescent |
| Lamp Type Accommodated And Quantity: 1 incandescent |
| 1 incandescent |
| |
| Lens Type: |
| |
| Cylindrical, external thread single light 1st position horizontal |
| Lens Light Transmission Characteristic: |
| Transparent single light 1st position horizontal |
| Lens Back Surface Condition: |
| Smooth single light 1st position horizontal |
| Lens Face Surface Condition: |
| Smooth single light 1st position horizontal |
| Material: |
| Copper alloy body |
| Surface Treatment: |
| Chromium body |
| Style Designator: |
| Round frame, round lens type |
| Terminal Type And Quantity: |
| 2 solder lug |
| |
| Shelf Life: |
| - |

--

NSN 6210-00-051-4600

Indicator Light - Page 2 of 2

Demilitarization:

No

Fiig:

A065a0

