## NSN 6210-00-297-3766

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-297-3766

Hazardous Locations/environmental Protection:		
Oiltight		
Overall Length:		
2.906 inches		
Overall Diameter:		
1.391 inches		
Lamp Base Type Accommodated:		
Intermediate screw		
Lamp Bulb Size Designator:		
S-6		
Lens Quantity:		
1		
Lens Color:		
Colorless single light 1st position horizontal		
Panel Accommodation Hole Diameter:		
1.188 inches		
Lens Mounting Method:		
Screw on		
Mounting Method:		
Panel		
Panel Thickness For Which Designed:		
0.344 inches		
Lamp Type Accommodated And Quantity:		
Lamp Type Accommodated And Quantity:		
Lamp Type Accommodated And Quantity: 1 incandescent		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:		
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Transparent single light 1st position horizontal  Transmitted Light Color:  Colorless single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Chromium body		

2 solder lug

## NSN 6210-00-297-3766

Indicator Light - Page 2 of 2



	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A065a0