## NSN 6210-00-407-7697

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-407-7697

Hazardous Locations/environmental Protection:							
Watertight							
Overall Length:							
1.460 inches							
Overall Diameter:							
0.670 inches							
Lens Quantity:							
1							
Lens Color:							
Red single light 1st position horizontal							
Panel Accommodation Hole Diameter:							
0.500 inches							
Lamp Industry Number:							
327							
Lens Mounting Method:							
Push on							
Mounting Method:							
Panel							
Panel Thickness For Which Designed:							
0.310 inches							
Features Provided:							
Press to test							
Lamp Type Accommodated And Quantity:							
1 incandescent							
i incandescent							
Lens Type:							
Lens Type:							
Lens Type: Cylindrical, external thread single light 1st position horizontal							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic:							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend:							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition:							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic polyamide body							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic polyamide body Style Designator:							
Lens Type: Cylindrical, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Legend: Press to test single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic polyamide body Style Designator: Round frame, round lens type							

3 tab, solder lug

## NSN 6210-00-407-7697

Indicator Light - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A065a0