NSN 6210-00-418-1897

Indicator Light - Page 1 of 2

Overall Length: 2.375 inches Overall Height: 0.750 inches Overall Width:



View Online at https://aerobasegroup.com/nsn/6210-00-418-1897

1.000 inches
Filter Color:
Amber single light 1st position horizontal full display division a
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Colorless single light 1st position horizontal
Filter Quantity:
1
Multilamp Circuit Type:
Two lamp common
Lamp Industry Number:
387
Lens Mounting Method:
Flange
Mounting Method:
Mounting Method.
Panel
-
Panel
Panel Thickness For Which Designed:
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width:
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity:
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type:
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height:
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches Lens Light Transmission Characteristic:
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Legend Color:
Panel Thickness For Which Designed: Between 0.031 inches and 0.250 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Legend Color: Black single light 1st position horizontal full display division a

NSN 6210-00-418-1897 Indicator Light - Page 2 of 2

No Fiig: A065a0



Transmitted Light Color:
Colorless single light 1st position horizontal full display division a
Lens Back Surface Condition:
Smooth single light 1st position horizontal
Lens Face Surface Condition:
Smooth single light 1st position horizontal
Material:
Stainless steel body
Surface Treatment:
Passivate body
Style Designator:
Rectangular frame type
Terminal Type And Quantity:
3 solder lug w/screw
Reference Number Differentiating Characteristics:
As differentiated by lens legend
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: