NSN 6210-00-504-0829

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-504-0829

Overall Length:
1.250 inches
Overall Diameter:
0.625 inches
Filter Color:
Red single light 1st position horizontal full display division a
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Black, opaque single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.469 inches
Filter Quantity:
1
Lens Mounting Method:
Screw in
Mounting Method:
Panel
Panel Panel Thickness For Which Designed:
Panel Thickness For Which Designed:
Panel Thickness For Which Designed: 0.219 inches
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity:
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type:
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic:
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color:
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition:
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic illumination directing device
Panel Thickness For Which Designed: 0.219 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, edge w/boot single light 1st position horizontal Lens Light Transmission Characteristic: Opaque single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic illumination directing device Surface Treatment:

NSN 6210-00-504-0829

Indicator Light - Page 2 of 2



Furnished Items And Quantity	Furni	ished	Items	And	Quantity	/ :
------------------------------	-------	-------	--------------	-----	----------	------------

1 hexagon nut and 1 lock washer

Terminal Type And Quantity:

1 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0