## NSN 6210-00-757-1084

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-757-1084

Hazardous Locations/environmental Protection:
Moisture proof
Overall Length:
0.685 inches
Lamp Bulb Size Designator:
T-1
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.312 inches
Lens Mounting Method:
Screw in
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.156 inches
Lamp Type Accommodated And Quantity:
1 incandescent
Lens Type:
20.00 1,750.
Flat, knurled, external thread single light 1st position horizontal
Flat, knurled, external thread single light 1st position horizontal
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Nickel body
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Nickel body  Style Designator:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Nickel body  Style Designator:  Round frame, round lens type
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Nickel body  Style Designator:  Round frame, round lens type  Furnished Items And Quantity:
Flat, knurled, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Nickel body  Style Designator:  Round frame, round lens type  Furnished Items And Quantity:  2 hexagon nut

N/a

## NSN 6210-00-757-1084

Indicator Light - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A065a0