NSN 6210-00-810-7583

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-810-7583

Overall Length: 2.656 inches Overall Diameter: Between 0.780 inches and 0.840 inches Lamp Base Type Accommodated: Miniature bayonet Lamp Bulb Size Designator: T-3 1/4 Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Overall Diameter: Between 0.780 inches and 0.840 inches Lamp Base Type Accommodated: Miniature bayonet Lamp Bulb Size Designator: T-3 1/4 Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Between 0.780 inches and 0.840 inches Lamp Base Type Accommodated: Miniature bayonet Lamp Bulb Size Designator: T-3 1/4 Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lamp Base Type Accommodated: Miniature bayonet Lamp Bulb Size Designator: T-3 1/4 Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Miniature bayonet Lamp Bulb Size Designator: T-3 1/4 Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lamp Bulb Size Designator: T-3 1/4 Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
T-3 1/4 Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Quantity: 1 Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Color: Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Green single light 1st position horizontal Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Panel Accommodation Hole Diameter: Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Between 0.688 inches and 0.694 inches Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Mounting Method: Screw on Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Mounting Method: Panel Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Features Provided: Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Dimming device and blackout degree, partial Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
1 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Smooth single light 1st position horizontal Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Special Features: Dimming device type, mechanical shutter; mtg hdwe included
Dimming device type, mechanical shutter; mtg hdwe included
Style Designator:
Round frame, round lens type
Terminal Type And Quantity:
2 solder lug
Specification Or Standard:
Lh75lc18gn type
Shelf Life:
N/a
Unit Of Measure:

--

NSN 6210-00-810-7583

Indicator Light - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A065a0

Mil-std (military Standard):

Mil-I-3661 spec.