NSN 6210-00-862-6466

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-862-6466

Hazardous Locations/environmental Protection:
Watertight
Overall Length:
2.459 inches
Overall Diameter:
Between 0.943 inches and 0.963 inches
Lamp Base Type Accommodated:
Miniature bayonet
Lamp Bulb Size Designator:
T-3 1/4
Lens Quantity:
1
Lens Color:
Blue single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.688 inches
Lens Mounting Method:
Screw on
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.044*
0.344 inches
Lamp Type Accommodated And Quantity:
Lamp Type Accommodated And Quantity:
Lamp Type Accommodated And Quantity: 1 incandescent
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Copper alloy body
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Copper alloy body Surface Treatment:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Convex, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Blue single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Copper alloy body Surface Treatment: Nickel body

1 hexagon nut and 1 lock washer

NSN 6210-00-862-6466

Indicator Light - Page 2 of 2



2 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0