NSN 6210-00-892-6278

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-892-6278

Hazardous Locations/environmental Protection:
Watertight-nema type 4
Overall Length:
1.310 inches
Overall Diameter:
0.660 inches
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.469 inches
Lens Mounting Method:
Screw in
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.220 inches
Lamp Type Accommodated And Quantity:
1 incandescent
1 incandescent Lens Type:
Lens Type:
Lens Type: Stovepipe, external thread single light 1st position horizontal
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic:
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition:
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic body
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic body Special Test Features:
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic body Special Test Features: Navord od36190
Lens Type: Stovepipe, external thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic body Special Test Features: Navord od36190 Style Designator:

As differentiated by special test features

Reference Number Differentiating Characteristics:

NSN 6210-00-892-6278

Indicator Light - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0