NSN 6210-00-912-0421

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-912-0421
Hazardous Locations/environmental Protection:
Oiltight and watertight
Overall Length:
2.016 inches
Overall Diameter:
Between 1.230 inches and 1.250 inches
Lamp Base Type Accommodated:
Candelabra screw
Lamp Bulb Size Designator:
T-4 1/2
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Panel Accommodation Hole Diameter:
1.000 inches
Lamp Industry Number:
B7 (ne-45)
Lens Mounting Method:
Screw on
Mounting Method:
Mounting Method: Panel
Panel
Panel Thickness For Which Designed:
Panel Panel Thickness For Which Designed: 0.312 inches
Panel Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon
Panel Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 neon Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Copper alloy body

Round frame, round lens type

NSN 6210-00-912-0421

Indicator Light - Page 2 of 2



Furnished Items And Quantity	Fι	ırnished	Items	And	Quantity
------------------------------	----	----------	--------------	-----	----------

1 hexagon nut and 1 lock washer and 2 o-ring

Terminal Type And Quantity:

2 screw

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A065a0