## NSN 6210-00-935-6981

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-00-935-6981

Hazardous Locations/environmental Protection:
Watertight
Overall Length:
1.275 inches
Overall Diameter:
Between 0.549 inches and 0.554 inches
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.469 inches
Lens Mounting Method:
Screw in
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.250 inches
1 T A
Lamp Type Accommodated And Quantity:
1 incandescent
1 incandescent
1 incandescent  Lens Type:
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body
1 incandescent  Lens Type: Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Light Color: Red single light 1st position horizontal full display division a  Lens Back Surface Condition: Smooth single light 1st position horizontal  Lens Face Surface Condition: Smooth single light 1st position horizontal  Material: Copper alloy body  Surface Treatment: Nickel body
1 incandescent  Lens Type:  Cylindrical, external thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:

1 hexagon nut and 1 lock washer and 1 nut

## NSN 6210-00-935-6981

Indicator Light - Page 2 of 2



<b>Terminal</b>	<b>Type</b>	And	Quantity:
-----------------	-------------	-----	-----------

2 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0