NSN 6210-01-023-7698

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-023-7698

Hazardous Locations/environmental Protection:
Radio frequency interference and watertight
Overall Length:
1.560 inches
Overall Diameter:
0.660 inches
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1-3/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.500 inches
Lamp Industry Number:
387
Lens Mounting Method:
Screw on
Mounting Method:
Panel
Panel Thickness For Which Designed:
-
Panel Thickness For Which Designed:
Panel Thickness For Which Designed: 0.312 inches
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Style Designator:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Style Designator: Round frame, round lens type
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Style Designator: Round frame, round lens type Furnished Items And Quantity:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Style Designator: Round frame, round lens type Furnished Items And Quantity: 1 gasket
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Style Designator: Round frame, round lens type Furnished Items And Quantity: 1 gasket Terminal Type And Quantity:
Panel Thickness For Which Designed: 0.312 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Style Designator: Round frame, round lens type Furnished Items And Quantity: 1 gasket Terminal Type And Quantity: 2 solder lug

--

NSN 6210-01-023-7698

Indicator Light - Page 2 of 2



Demilitarization:

No

Fiig:

A065a0