## NSN 6210-01-050-1326

Indicator Light - Page 1 of 2

T-1

1



View Online at https://aerobasegroup.com/nsn/6210-01-050-1326

## Hazardous Locations/environmental Protection: Moisture resistant and salt spray resistant and shock resistant and vibration resistant **Overall Length:** 0.737 inches **Overall Diameter:** 0.312 inches Lamp Base Type Accommodated: Midget flanged Lamp Bulb Size Designator: Lens Quantity: Lens Color: Red single light 1st position horizontal **Panel Accommodation Hole Diameter:** 0.312 inches Lens Mounting Method: Screw in **Mounting Method:** Panel Panel Thickness For Which Designed: 0.160 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Cylindrical, knurled single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal **Transmitted Light Color:** Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal **Special Features:** Temperature (operating) 0 degrees c to +50 degrees c; (storage, nonoperating) -62 degrees c to +75 degrees c Material: Copper alloy body **Precious Material And Location:**

Terminals silver

## Precious Material And Weight:

0.040 silver grains, troy

## NSN 6210-01-050-1326

Indicator Light - Page 2 of 2

**Precious Material:** Silver Surface Treatment: Nickel body Style Designator: Round frame, round lens type Furnished Items And Quantity: 2 flat washer and 2 hexagon nut Terminal Type And Quantity: 1 solder lug and 1 solder stud Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A065a0

