NSN 6210-01-060-9256

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-060-9256

Hazardous Locations/environmental Protection:
Watertight
Overall Diameter:
0.680 inches
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Panel Accommodation Hole Diameter:
Between 0.485 inches and 0.515 inches
Lens Mounting Method:
Screw in
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.160 inches
Features Provided:
Dimming device
Dimming device Lamp Type Accommodated And Quantity:
·
Lamp Type Accommodated And Quantity:
Lamp Type Accommodated And Quantity: 1 incandescent
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Aluminum body Surface Treatment:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Aluminum body Surface Treatment: Anodize body
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Flat, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Aluminum body Surface Treatment:

1 hexagon nut and 1 lock washer

NSN 6210-01-060-9256

Indicator Light - Page 2 of 2



Terminal	Type And	l Quantity:
----------	----------	-------------

2 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0