NSN 6210-01-085-1261

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-085-1261

Overall Length:
1.570 inches
Overall Height:
0.750 inches
Overall Width:
1.000 inches
Filter Color:
White single light 1st position horizontal full display division a
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Colorless single light 1st position horizontal
Filter Quantity:
1
Multilamp Circuit Type:
Two lamp common
Lamp Industry Number:
387
I BB BB I
Lens Mounting Method:
Flange
•
Flange
Flange Mounting Method:
Flange Mounting Method: Panel
Flange Mounting Method: Panel Panel Thickness For Which Designed:
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width:
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity:
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type:
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height:
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches Lens Light Transmission Characteristic:
Flange Mounting Method: Panel Panel Thickness For Which Designed: Between 0.062 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Display screen single light 1st position horizontal Panel Accommodation Hole Height: 0.670 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal

Smooth single light 1st position horizontal

NSN 6210-01-085-1261

Indicator Light - Page 2 of 2



Lens Face Surface Condition:
Smooth single light 1st position horizonta
Material:
Stainless steel body
Style Designator:
Rectangular frame type
Terminal Type And Quantity:
3 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A065a0