NSN 6210-01-086-4686

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-086-4686

Hazardous Locations/environmental Protection:

Cold resistant and fungus resistant and heat resistant and moisture resistant and shock resistant and vibration resistant

Overall Length:

Between 2.170 inches and 2.230 inches

Overall Height:

Between 0.906 inches and 0.926 inches

Overall Width:

Between 0.906 inches and 0.926 inches

Filter Color:

Red, aviation single light 1st position horizontal horizontal split display division b

Lamp Base Type Accommodated:

Midget flanged

Lamp Bulb Size Designator:

T-1 3/4

Lens Quantity:

Lens Color:

Colorless single light 1st position horizontal

Filter Quantity:

Multilamp Circuit Type:

Four lamp common

Mounting Method:

Panel

Panel Thickness For Which Designed:

Between 0.031 inches and 0.350 inches

Panel Accommodation Hole Width:

Between 0.680 inches and 0.690 inches

Lamp Type Accommodated And Quantity:

4 incandescent

Lens Type:

Display screen single light 1st position horizontal

Panel Accommodation Hole Height:

Between 0.680 inches and 0.690 inches

Lens Light Transmission Characteristic:

Transparent single light 1st position horizontal

Transmitted Legend Color:

Gray single light 1st position horizontal horizontal split display division b

Lens Legend:

Water pr loss single light 1st position horizontal horizontal split display division a

Transmitted Light Color:

Red, aviation single light 1st position horizontal horizontal split display division b

NSN 6210-01-086-4686

Indicator Light - Page 2 of 2



Lens Back Surface Condition:
Smooth single light 1st position horizonta
Lens Face Surface Condition:
Smooth single light 1st position horizonta
Material:
Aluminum body
Surface Treatment:
Anodize body
Style Designator:
Rectangular frame type
Terminal Type And Quantity:
1 solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A065a0