NSN 6210-01-100-4140

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-100-4140

Hazardous Locations/environmental Protection:
Oiltight and watertight
Overall Length:
2.859 inches
Overall Diameter:
1.250 inches
Lamp Base Type Accommodated:
Double contact bayonet candelabra
Lamp Bulb Size Designator:
S-6
Lens Quantity:
1
Lens Color:
Green single light 1st position horizontal
Panel Accommodation Hole Diameter:
1.000 inches
Lens Mounting Method:
Screw on
Mounting Method:
Panel
Panel Thickness For Which Designed:
Panel Thickness For Which Designed: 0.500 inches
•
0.500 inches
0.500 inches Lamp Type Accommodated And Quantity:
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type:
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic:
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color:
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition:
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition:
0.500 inches Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Camp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Copper alloy body
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Copper alloy body Surface Treatment:
Lamp Type Accommodated And Quantity: 1 incandescent Lens Type: Dome, knurled, internal thread single light 1st position horizontal Lens Light Transmission Characteristic: Translucent single light 1st position horizontal Transmitted Light Color: Green single light 1st position horizontal full display division a Lens Back Surface Condition: Frosted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Copper alloy body Surface Treatment: Chromium body

1 hexagon nut and 1 lock washer

NSN 6210-01-100-4140

Indicator Light - Page 2 of 2



Terminal Type And Quantity	/:
----------------------------	-----------

2 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0