NSN 6210-01-116-1261

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-116-1261

Hazardous Locations/environmental Protection:

Cold resistant and dripproof and electromagnetic radiation suppressive and heat resistant and humidity resistant and vibration resistant and explosion proof and shock resistant **Overall Length:** 2.420 inches **Overall Height:** 0.960 inches **Overall Width:** 0.960 inches Lamp Base Type Accommodated: Submidget flanged Lamp Bulb Size Designator: T-1 Lens Quantity: 1 Lens Color: Black single light 1st position horizontal **Multilamp Circuit Type:** Four lamp common Lamp Industry Number: 6839 Lens Mounting Method: Flange **Mounting Method:** Panel Panel Thickness For Which Designed: 0.188 inches Panel Accommodation Hole Width: 0.689 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, rectangular single light 1st position horizontal **Panel Accommodation Hole Height:** 0.689 inches Lens Light Transmission Characteristic: Translucent single light 1st position horizontal **Transmitted Legend Color:** Red single light 1st position horizontal full display division a and white single light 1st position horizontal full display division a Lens Legend: No go; engaged single light 1st position horizontal full display division a **Transmitted Light Color:**

Black single light 1st position horizontal full display division a

NSN 6210-01-116-1261

Indicator Light - Page 2 of 2



Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Stainless steel body **Precious Material And Location:** Lamp contacts silver **Precious Material And Weight:** 0.040 silver grains, troy **Precious Material:** Silver Style Designator: Rectangular frame type **Terminal Type And Quantity:** 5 solder lug Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A065a0
