## NSN 6210-01-119-3734

Indicator Light - Page 1 of 2

Overall Length: 2.350 inches



View Online at https://aerobasegroup.com/nsn/6210-01-119-3734

| Overall Height:   |
|---|
| 0.750 inches  |
| Overall Width:  |
| 1.000 inches  |
| Filter Color:   |
| Yellow single light 1st position horizontal full display division a   |
| Lamp Base Type Accommodated:  |
| Midget flanged  |
| Lamp Bulb Size Designator:  |
| T-1 3/4   |
| Lens Quantity:  |
| 1   |
| Lens Color:   |
| White single light 1st position horizontal  |
| Filter Quantity:  |
| 1   |
| Multilamp Circuit Type:   |
| Two lamp common   |
| Lens Mounting Method:   |
| Push in   |
| Mounting Method:  |
| Mounting Method.  |
| Panel   |
|   |
| Panel   |
| Panel Thickness For Which Designed:   |
| Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches   |
| Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches Panel Accommodation Hole Width:   |
| Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches  |
| Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity:   |
| Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent  |
| Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches Panel Accommodation Hole Width: 0.920 inches Lamp Type Accommodated And Quantity: 2 incandescent Lens Type:   |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  Panel Accommodation Hole Height:  |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  Panel Accommodation Hole Height: Between 0.695 inches and 0.705 inches  |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  Panel Accommodation Hole Height: Between 0.695 inches and 0.705 inches  Lens Light Transmission Characteristic:   |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  Panel Accommodation Hole Height: Between 0.695 inches and 0.705 inches  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  Panel Accommodation Hole Height: Between 0.695 inches and 0.705 inches  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Legend Color:   |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  Panel Accommodation Hole Height: Between 0.695 inches and 0.705 inches  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Legend Color:  Black single light 1st position horizontal full display division a               |
| Panel Thickness For Which Designed: Between 0.031 inches and 0.156 inches  Panel Accommodation Hole Width: 0.920 inches  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Display screen single light 1st position horizontal  Panel Accommodation Hole Height: Between 0.695 inches and 0.705 inches  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Legend Color:  Black single light 1st position horizontal full display division a  Lens Legend: |

## NSN 6210-01-119-3734

Indicator Light - Page 2 of 2



## **Lens Back Surface Condition:**

Smooth single light 1st position horizontal

## **Lens Face Surface Condition:**

Smooth single light 1st position horizontal

Material:

Stainless steel body

Style Designator:

Rectangular frame type

**Terminal Type And Quantity:** 

3 quick disconnect, male

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A065a0