NSN 6210-01-123-0214

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-123-0214

Hazardous Locations/environmental Pro	tection:
---------------------------------------	----------

Explosion proof and shock resistant and humidity resistant and vibration resistant

Overall Length:

2.375 inches

Overall Height:

0.750 inches

Overall Width:

1.000 inches

Filter Color:

White single light 1st position horizontal full display division a

Lamp Base Type Accommodated:

Midget flanged

Lamp Bulb Size Designator:

T-1 3/4

Lens Quantity:

Lens Color:

Colorless single light 1st position horizontal

Filter Quantity:

Multilamp Circuit Type:

Two lamp common

Lens Mounting Method:

Flange

Mounting Method:

Panel

Panel Thickness For Which Designed:

Between 0.031 inches and 0.250 inches

Panel Accommodation Hole Width:

0.920 inches

Lamp Type Accommodated And Quantity:

2 incandescent

Lens Type:

Display screen single light 1st position horizontal

Panel Accommodation Hole Height:

0.670 inches

Lens Light Transmission Characteristic:

Transparent single light 1st position horizontal

Transmitted Legend Color:

Black single light 1st position horizontal full display division a

Lens Legend:

Slo; accur single light 1st position horizontal full display division a

NSN 6210-01-123-0214

Indicator Light - Page 2 of 2



Fransmitted	Light	Color:
--------------------	-------	--------

White single light 1st position horizontal full display division a

Lens Back Surface Condition:

Smooth single light 1st position horizontal

Lens Face Surface Condition:

Smooth single light 1st position horizontal

Special Features:

Operates -54 degrees c to 71 degrees c, 0 to 70, 000 ft min altitude

Material:

Stainless steel body

Style Designator:

Rectangular frame type

Terminal Type And Quantity:

3 screw and 3 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0