## NSN 6210-01-123-0957

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-123-0957							
Hazardous Locations/environmental Protection:							
Explosion proof and shock resistant and humidity resistant and vibration resistant							
Overall Length:							
2.375 inches							
Overall Height:							
0.750 inches							
Overall Width:							
1.000 inches							

**Lamp Base Type Accommodated:** 

White single light 1st position horizontal full display division a

Midget flanged

Filter Color:

**Lamp Bulb Size Designator:** 

T-1 3/4

Lens Quantity:

Lens Color:

Colorless single light 1st position horizontal

Filter Quantity:

**Multilamp Circuit Type:** 

Two lamp common

**Lens Mounting Method:** 

Flange

**Mounting Method:** 

Panel

Panel Thickness For Which Designed:

Between 0.031 inches and 0.250 inches

**Panel Accommodation Hole Width:** 

0.920 inches

**Lamp Type Accommodated And Quantity:** 

2 incandescent

Lens Type:

Display screen single light 1st position horizontal

**Panel Accommodation Hole Height:** 

0.670 inches

**Lens Light Transmission Characteristic:** 

Transparent single light 1st position horizontal

**Transmitted Legend Color:** 

Black single light 1st position horizontal full display division a

Lens Legend:

B single light 1st position horizontal full display division a

## NSN 6210-01-123-0957

Indicator Light - Page 2 of 2



T	ra	ns	mi	tte	d L	.iq	ht (	Co	lor	•

White single light 1st position horizontal full display division a

**Lens Back Surface Condition:** 

Smooth single light 1st position horizontal

**Lens Face Surface Condition:** 

Smooth single light 1st position horizontal

**Special Features:** 

Operates -54 degrees c to 71 degrees c, 0 to 70, 000 ft min altitude

Material:

Stainless steel body

**Style Designator:** 

Rectangular frame type

**Terminal Type And Quantity:** 

3 screw and 3 solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A065a0