## NSN 6210-01-129-0745

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-129-0745

Hazardous Locations/environmental Protection:
Watertight
Overall Length:
2.374 inches
Overall Diameter:
Between 1.355 inches and 1.395 inches
Lamp Base Type Accommodated:
Miniature bayonet
Lamp Bulb Size Designator:
T-3 1/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Panel Accommodation Hole Diameter:
1.000 inches
Lens Mounting Method:
Screw on
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.438 inches
0.438 inches  Lamp Type Accommodated And Quantity:
Lamp Type Accommodated And Quantity:
Lamp Type Accommodated And Quantity: 1 incandescent
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Chromium body
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Convex, knurled single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Frosted single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:

1 hexagon nut and 1 lock washer

## NSN 6210-01-129-0745

Indicator Light - Page 2 of 2



Terminal Type And Quantity:
2 screw
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A065a0