NSN 6210-01-154-6828

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-154-6828

Hazardous Locations/environmental Protection:
Driptight
Overall Length:
1.532 inches
Overall Diameter:
0.553 inches
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-2
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Lamp Industry Number:
C7a
Lens Mounting Method:
Screw in
Mounting Method:
Threaded bushing
Lamp Type Accommodated And Quantity:
1 neon
i neon
Lens Type:
Lens Type:
Lens Type: Stovepipe, long shank single light 1st position horizontal
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic:
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color:
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition:
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material:
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic illumination directing device
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic illumination directing device Style Designator:
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic illumination directing device Style Designator: Round frame, round lens type
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic illumination directing device Style Designator: Round frame, round lens type Furnished Items And Quantity:
Lens Type: Stovepipe, long shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Plastic illumination directing device Style Designator: Round frame, round lens type Furnished Items And Quantity: 1 hexagon nut and 1 lock washer

N/a

NSN 6210-01-154-6828

Indicator Light - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A065a0

Mil-std (military Standard):

Mil-I-3661 spec.