

View Online at <https://aerobasegroup.com/nsn/6210-01-157-4306>

**Hazardous Locations/environmental Protection:**

Shock resistant and vibration resistant

**Overall Length:**

1.290 inches

**Overall Diameter:**

0.500 inches

**Lens Quantity:**

1

**Lens Color:**

Red single light 1st position horizontal

**Panel Accommodation Hole Diameter:**

0.375 inches

**Lens Mounting Method:**

Screw on

**Mounting Method:**

Panel

**Panel Thickness For Which Designed:**

Between 0.062 inches and 0.125 inches

**Lamp Type Accommodated And Quantity:**

1 light emitting diode

**Lens Type:**

Cylindrical, knurled single light 1st position horizontal

**Lens Light Transmission Characteristic:**

Transparent single light 1st position horizontal

**Transmitted Light Color:**

Red single light 1st position horizontal full display division a

**Lens Back Surface Condition:**

Smooth single light 1st position horizontal

**Lens Face Surface Condition:**

Smooth single light 1st position horizontal

**Special Features:**

Red light emitting diode 20ma; black body

**Material:**

Aluminum body

**Precious Material And Location:**

Terminals gold

**Precious Material And Weight:**

0.040 gold grains, troy

**Precious Material:**

Gold

**Surface Treatment:**

Anodize body

**Style Designator:**

Round frame, round lens type

**Furnished Items And Quantity:**

1 knurled flange ring and 1 lamp and 1 lock washer

**Terminal Type And Quantity:**

2 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A065a0