NSN 6210-01-200-0774

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-200-0774

Overall Length:
0.880 inches
Overall Diameter:
0.225 inches
Lamp Base Type Accommodated:
Wire terminals, down
Lamp Bulb Size Designator:
T-1
Lens Quantity:
1
Lens Color:
Amber single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.191 inches
Lens Mounting Method:
Push on
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.210 inches
Lamp Type Accommodated And Quantity:
1 incandescent
1 incandescent
1 incandescent Lens Type:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Black housing; with heat barrier
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Black housing; with heat barrier Material:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Black housing; with heat barrier Material: Plastic polycarbonate body
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Black housing; with heat barrier Material: Plastic polycarbonate body Precious Material And Location:
1 incandescent Lens Type: Dome, square end cap single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Amber single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Black housing; with heat barrier Material: Plastic polycarbonate body Precious Material And Location: Terminals gold

Gold

NSN 6210-01-200-0774

Indicator Light - Page 2 of 2



Round frame, round lens type

Terminal Type And Quantity:

2 solder stud

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A065a0