# NSN 6210-01-217-4731

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-217-4731

### **Hazardous Locations/environmental Protection:**

Abrasion resistant and electromagnetic radiation suppressive and moisture resistant and radio frequency interference and salt spray resistant
and shock resistant and vibration resistant
Overall Length:
1.375 inches
Overall Height:
0.660 inches
Filter Color:
Red single light 1st position horizontal full display division a
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
White single light 1st position horizontal
Filter Quantity:
1
Multilamp Circuit Type:
Two lamp common
Lens Mounting Method:
Flange
Mounting Method:
Panel
Panel Thickness For Which Designed:
Between 0.062 inches and 0.156 inches
Panel Accommodation Hole Width:
Between 0.910 inches and 0.930 inches
Lamp Type Accommodated And Quantity:
2 neon
Lens Type:
Display screen single light 1st position horizontal
Panel Accommodation Hole Height:
Between 0.660 inches and 0.680 inches
Lens Light Transmission Characteristic:
Translucent single light 1st position horizontal

## **Transmitted Legend Color:**

Black single light 1st position horizontal full display division a

### Lens Legend:

On single light 1st position horizontal full display division a

### **Transmitted Light Color:**

Red single light 1st position horizontal full display division a

# NSN 6210-01-217-4731

Indicator Light - Page 2 of 2



# Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Stainless steel body Style Designator: Rectangular frame type Terminal Type And Quantity: 3 solder lug Shelf Life: N/a Unit Of Measure: --Demilitarization:

No Fiig: A065a0