## NSN 6210-01-237-1460

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-237-1460

Hazardous Locations/environmental Protection:
Oiltight and watertight
Overall Diameter:
0.875 inches
Lamp Base Type Accommodated:
Miniature bayonet
Lamp Bulb Size Designator:
T-3 1/4
Lens Quantity:
1
Lens Color:
White, translucent single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.688 inches
Lens Mounting Method:
Screw on
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.219 inches
Laws Torre Assessment dated And Overtities
Lamp Type Accommodated And Quantity:
1 neon
1 neon
1 neon Lens Type:
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition:
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:
1 neon  Lens Type: Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Light Color: White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition: Smooth single light 1st position horizontal  Lens Face Surface Condition: Smooth single light 1st position horizontal  Material: Copper alloy body
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:
1 neon  Lens Type: Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Light Color: White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition: Smooth single light 1st position horizontal  Lens Face Surface Condition: Smooth single light 1st position horizontal  Material: Copper alloy body  Surface Treatment: Chromium body
1 neon  Lens Type: Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Light Color: White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition: Smooth single light 1st position horizontal  Lens Face Surface Condition: Smooth single light 1st position horizontal  Material: Copper alloy body  Surface Treatment: Chromium body  Style Designator:
1 neon  Lens Type:  Stovepipe, plain single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White, translucent single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Copper alloy body  Surface Treatment:  Chromium body  Style Designator:  Round frame, round lens type

N/a

## NSN 6210-01-237-1460

Indicator Light - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A065a0