## NSN 6210-01-237-7423

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-237-7423

Hazardous Locations/environmental Protection:						
Oiltight and watertight						
Overall Length:						
2.937 inches						
Overall Height:						
2.125 inches						
Overall Width:						
1.625 inches						
Lamp Base Type Accommodated:						
Miniature bayonet						
Lamp Bulb Size Designator:						
T-3 1/4						
Lens Quantity:						
1						
Lens Color:						
White single light 1st position horizontal						
Lens Mounting Method:						
Screw on						
Mounting Method:						
Screw						
Features Provided:						
Transformer						
Transformer  Lamp Type Accommodated And Quantity:						
Lamp Type Accommodated And Quantity:						
Lamp Type Accommodated And Quantity: 1 incandescent						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Special Features:						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Special Features:  110-120v; 50-60hz; glass lens						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Special Features:  110-120v; 50-60hz; glass lens  Material:						
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Dome, knurled, internal thread single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  White single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Special Features:  110-120v; 50-60hz; glass lens  Material:  Plastic phenolic body						

2 screw

## NSN 6210-01-237-7423

Indicator Light - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A065a0