NSN 6210-01-239-5531

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-239-5531

Hazardous Locations/environmental Protection:
Shock proof and watertight
Overall Length:
3.940 inches
Overall Height:
6.250 inches
Overall Width:
3.760 inches
Lamp Base Type Accommodated:
Midget screw
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Multilamp Circuit Type:
Two lamp separate
Lens Mounting Method:
Screw in
Mounting Method:
Mounting Method.
Bolt
Bolt
Bolt Features Provided:
Bolt Features Provided: Dimming device and transformer
Bolt Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity:
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type:
Bolt Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic:
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color:
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition:
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features:
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: 117v 60 cycles
Features Provided: Dimming device and transformer Lamp Type Accommodated And Quantity: 2 incandescent Lens Type: Convex, knurled, threaded shank single light 1st position horizontal Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Light Color: Red single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features:

Rectangular frame type

NSN 6210-01-239-5531

Indicator Light - Page 2 of 2



Terminal	Type And	Quantity:

2 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0