NSN 6210-01-240-2315

Indicator Light - Page 1 of 2

Overall Length: 2.260 inches



View Online at https://aerobasegroup.com/nsn/6210-01-240-2315

Overall Height:
0.750 inches
Overall Width:
0.750 inches
Filter Color:
Red single light 1st position horizontal full display division a
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Colorless single light 1st position horizontal
Filter Quantity:
1
Multilamp Circuit Type:
Four lamp common
Lens Mounting Method:
Push in
Maria de la Maria de la
Mounting Method:
Panel
Panel
Panel Thickness For Which Designed:
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width:
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity:
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent
Panel Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type:
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal Panel Accommodation Hole Height:
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal Panel Accommodation Hole Height: Between 0.680 inches and 0.690 inches
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal Panel Accommodation Hole Height: Between 0.680 inches and 0.690 inches Lens Light Transmission Characteristic:
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal Panel Accommodation Hole Height: Between 0.680 inches and 0.690 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal Panel Accommodation Hole Height: Between 0.680 inches and 0.690 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Legend Color:
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal Panel Accommodation Hole Height: Between 0.680 inches and 0.690 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Legend Color: Red single light 1st position horizontal full display division a
Panel Thickness For Which Designed: Between 0.031 inches and 0.300 inches Panel Accommodation Hole Width: Between 0.680 inches and 0.690 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, square shank single light 1st position horizontal Panel Accommodation Hole Height: Between 0.680 inches and 0.690 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Transmitted Legend Color: Red single light 1st position horizontal full display division a Lens Legend:

NSN 6210-01-240-2315

Indicator Light - Page 2 of 2



Lens Back Surface Condition: Painted single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Material: Stainless steel body Style Designator: Rectangular frame type Terminal Type And Quantity: 5 solder lug Shelf Life: N/a Unit Of Measure: --Demilitarization:

No Fiig: A065a0