NSN 6210-01-261-6048

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-261-6048

Overall Length:
1.688 inches
Overall Diameter:
0.512 inches
Lamp Base Type Accommodated:
Midget flanged
Lamp Bulb Size Designator:
T-1 3/4
Lens Quantity:
1
Lens Color:
Green single light 1st position horizontal
Panel Accommodation Hole Diameter:
0.375 inches
Lens Mounting Method:
Screw in
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.250 inches
Lamp Type Accommodated And Quantity:
1 incandescent
Lens Type:
Cylindrical, external thread single light 1st position horizontal
Lens Light Transmission Characteristic:
Transparent single light 1st position horizontal
Transmitted Light Color:
Transmitted Light Color: Green single light 1st position horizontal full display division a
Green single light 1st position horizontal full display division a
Green single light 1st position horizontal full display division a Lens Back Surface Condition:
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition:
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features:
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Rear mtd; clear body
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Rear mtd; clear body Material:
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Rear mtd; clear body Material: Plastic polycarbonate illumination directing device
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Rear mtd; clear body Material: Plastic polycarbonate illumination directing device Surface Treatment:
Green single light 1st position horizontal full display division a Lens Back Surface Condition: Smooth single light 1st position horizontal Lens Face Surface Condition: Smooth single light 1st position horizontal Special Features: Rear mtd; clear body Material: Plastic polycarbonate illumination directing device Surface Treatment: Anodize body

i di ilistica itellis Alia Qualitity.

1 knurled flange ring and 1 lock washer

NSN 6210-01-261-6048

Indicator Light - Page 2 of 2



i ei ii ii iai Tybe And Quantity.	Tε	rminal	Type	And	Quantity:	
-----------------------------------	----	--------	------	-----	-----------	--

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A065a0