## NSN 6210-01-277-6629

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-277-6629

| Overall Length:   |
|---|
| 1.812 inches  |
| Overall Height:   |
| 0.960 inches  |
| Overall Width:  |
| 1.200 inches  |
| Filter Color:   |
| White 3rd row 3rd position horizontal 4way split display division d   |
| Lamp Base Type Accommodated:  |
| Midget flanged  |
| Lens Quantity:  |
| 1   |
| Lens Color:   |
| Colorless single light 1st position horizontal  |
| Filter Quantity:  |
| 4   |
| Multilamp Circuit Type:   |
| Four lamp common  |
| Lamp Industry Number:   |
| 327   |
| Lens Mounting Method:   |
|   |
| Bracket   |
| Bracket  Mounting Method:   |
|   |
| Mounting Method:  |
| Mounting Method: Panel  |
| Mounting Method: Panel Panel Accommodation Hole Width:  |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches   |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches Lamp Type Accommodated And Quantity:  |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches Lamp Type Accommodated And Quantity: 4 incandescent   |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type:  |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, rectangular, framed single light 1st position horizontal   |
| Mounting Method: Panel  Panel Accommodation Hole Width: 1.115 inches  Lamp Type Accommodated And Quantity: 4 incandescent  Lens Type: Flat, rectangular, framed single light 1st position horizontal  Panel Accommodation Hole Height:  |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, rectangular, framed single light 1st position horizontal Panel Accommodation Hole Height: 0.875 inches   |
| Mounting Method: Panel  Panel Accommodation Hole Width: 1.115 inches  Lamp Type Accommodated And Quantity: 4 incandescent  Lens Type: Flat, rectangular, framed single light 1st position horizontal  Panel Accommodation Hole Height: 0.875 inches  Lens Light Transmission Characteristic:  |
| Mounting Method: Panel  Panel Accommodation Hole Width: 1.115 inches  Lamp Type Accommodated And Quantity: 4 incandescent  Lens Type: Flat, rectangular, framed single light 1st position horizontal  Panel Accommodation Hole Height: 0.875 inches  Lens Light Transmission Characteristic: Transparent single light 1st position horizontal   |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, rectangular, framed single light 1st position horizontal Panel Accommodation Hole Height: 0.875 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition:   |
| Mounting Method: Panel Panel Accommodation Hole Width: 1.115 inches Lamp Type Accommodated And Quantity: 4 incandescent Lens Type: Flat, rectangular, framed single light 1st position horizontal Panel Accommodation Hole Height: 0.875 inches Lens Light Transmission Characteristic: Transparent single light 1st position horizontal Lens Back Surface Condition: Smooth single light 1st position horizontal   |
| Mounting Method: Panel  Panel Accommodation Hole Width: 1.115 inches  Lamp Type Accommodated And Quantity: 4 incandescent  Lens Type: Flat, rectangular, framed single light 1st position horizontal  Panel Accommodation Hole Height: 0.875 inches  Lens Light Transmission Characteristic: Transparent single light 1st position horizontal  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  |
| Mounting Method: Panel  Panel Accommodation Hole Width: 1.115 inches  Lamp Type Accommodated And Quantity: 4 incandescent  Lens Type: Flat, rectangular, framed single light 1st position horizontal  Panel Accommodation Hole Height: 0.875 inches  Lens Light Transmission Characteristic: Transparent single light 1st position horizontal  Lens Back Surface Condition: Smooth single light 1st position horizontal  Lens Face Surface Condition: Smooth single light 1st position horizontal |

Rectangular frame type

## NSN 6210-01-277-6629

Indicator Light - Page 2 of 2



| _ |   |            |   |    |    |
|---|---|------------|---|----|----|
| • | n | <b>0</b> 1 | • | 12 | e: |
|   |   |            |   |    |    |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A065a0