NSN 6210-01-343-8408

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-343-8408

Hazardous Locations/environmental Protection:	
---	--

Radio frequency interference

Overall Length:

Between 1.510 inches and 1.610 inches

Overall Height:

0.750 inches

Overall Width:

0.750 inches

Lamp Base Type Accommodated:

Submidget flanged

Lamp Bulb Size Designator:

T-1

Lens Quantity:

_`

Lens Color:

Amber single light 1st position horizontal

Multilamp Circuit Type:

Four lamp common

End Application:

Milstar system

Lens Mounting Method:

Push in

Mounting Method:

Panel

Panel Thickness For Which Designed:

0.250 inches

Panel Accommodation Hole Width:

Between 0.689 inches and 0.699 inches

Lamp Type Accommodated And Quantity:

4 light emitting diode

Lens Type:

Flat, square end cap single light 1st position horizontal

Panel Accommodation Hole Height:

Between 0.689 inches and 0.699 inches

Lens Light Transmission Characteristic:

Transparent single light 1st position horizontal

Transmitted Legend Color:

Amber single light 1st position horizontal full display division a

Lens Legend:

Call single light 1st position horizontal full display division a

Transmitted Light Color:

Amber single light 1st position horizontal full display division a

NSN 6210-01-343-8408 Indicator Light - Page 2 of 2



Lens Back Surface Condition:
Smooth single light 1st position horizontal
Lens Face Surface Condition:
Smooth single light 1st position horizontal
Material:
Plastic lens
Precious Material And Location:
Terminals gold
Precious Material And Weight:
0.040 gold grains, troy
Precious Material:
Gold
Style Designator:
Rectangular frame type
Terminal Type And Quantity:
3 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A065a0