## NSN 6210-01-343-8409

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-343-8409

Hazardous Locations/environmental Protection:
Radio frequency interference
Overall Length:
Between 1.510 inches and 1.610 inches
Overall Height:
0.750 inches
Overall Width:
0.750 inches
Lamp Base Type Accommodated:
Submidget flanged
Lamp Bulb Size Designator:
T-1
Lens Quantity:
1
Lens Color:
Amber single light 1st position horizontal
Multilamp Circuit Type:
Two lamp common
End Application:
Milstar system
Lens Mounting Method:
Push in
Mounting Method:
Panel
Panel Thickness For Which Designed:
0.250 inches
Panel Accommodation Hole Width:
Between 0.689 inches and 0.699 inches
Lamp Type Accommodated And Quantity:
4 light emitting diode
Lens Type:
Flat, square end cap single light 1st position horizontal
Panel Accommodation Hole Height:
Between 0.689 inches and 0.699 inches
Lens Light Transmission Characteristic:
Transparent single light 1st position horizontal
Transmitted Legend Color:
Amber single light 1st position horizontal horizontal split display division b
Lens Legend:

**Transmitted Light Color:** 

Amber single light 1st position horizontal full display division a

Rts single light 1st position horizontal horizontal split display division b

## **NSN 6210-01-343-8409** Indicator Light - Page 2 of 2



Lens Back Surface Condition:
Smooth single light 1st position horizontal
Lens Face Surface Condition:
Smooth single light 1st position horizontal
Material:
Plastic lens
Precious Material And Location:
Terminals gold
Precious Material And Weight:
0.040 gold grains, troy
Precious Material:
Gold
Style Designator:
Rectangular frame type
Terminal Type And Quantity:
3 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A065a0