## NSN 6210-01-373-7020

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-373-7020

## **Hazardous Locations/environmental Protection:**

Cold resistant and heat resistant and radio frequency interference and shock resistant and vibration resistant

**Overall Length:** 1.560 inches **Overall Width:** 0.240 inches Filter Color:

Red single light 1st position horizontal full display division a

**Lamp Base Type Accommodated:** 

Midget flanged

Lamp Bulb Size Designator:

T-1

Lens Quantity:

**Lens Color:** 

White single light 1st position horizontal

Filter Quantity:

1

**Multilamp Circuit Type:** 

Four lamp common

**Lens Mounting Method:** 

Flange

**Mounting Method:** 

Panel

**Panel Thickness For Which Designed:** 

Between 0.030 inches and 0.250 inches

**Panel Accommodation Hole Width:** 

Between 0.685 inches and 0.695 inches

Lamp Type Accommodated And Quantity:

4 incandescent

Lens Type:

Flat, rectangular single light 1st position horizontal

**Panel Accommodation Hole Height:** 

Between 0.685 inches and 0.695 inches

**Lens Light Transmission Characteristic:** 

Translucent single light 1st position horizontal

**Transmitted Legend Color:** 

Black single light 1st position horizontal full display division a

Lens Legend:

Temp fault single light 1st position horizontal full display division a

**Transmitted Light Color:** 

Red single light 1st position horizontal full display division a

## NSN 6210-01-373-7020

Indicator Light - Page 2 of 2



Lens Back Surface Condition:
Smooth single light 1st position horizontal
Lens Face Surface Condition:
Smooth single light 1st position horizontal
Extra Long Reference Number:
58124a0b15c1 f4 l2 n1 (r) 13 temp, fault
Material:
Aluminum alloy 5052 body
Style Designator:
Rectangular frame type
Terminal Type And Quantity:
5 solder stud
Reference Number Differentiating Characteristics:
As differentiated by extra long reference number
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A065a0